L Number	Hits	Search Text	DB	Time stamp
-	2830	((709/(105,201,238-242,248)).ccls. or (370/351).ccls.) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/19 11:26
-	14	((various or different or multiple) near3 protocols with processor$1!) and (((709/(105,201,238-242,248)).ccls. or (370/351).ccls.) and @ad<20000628)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/19 11:26
-	6	multi-processor with (multiple or plurality or different or variety) adj protocols	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/07 18:26
-	0	(router adj3 (large or number or multiple) adj interfaces) with (plurality adj3 processors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:35
-	109	(router with (plurality adj3 processors))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:45
-	54	((router with (plurality adj3 processors))) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:45
-	13318	((routing or forward$3) adj (database or table)) with routing protocol$1! with synchroniz$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:05
-	8	((routing or forward$3) adj (database or table)) with (routing adj protocol$1!) with synchroniz$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:05
-	2	multi-processor adj router with routing adj protocols	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:40
-	3	multi-processor adj router same protocols	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:48
-	273	multi-processor with register$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:49

-	208	(multi-processor with register$3) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:49
-	6	(((((709/201).CCLS.) or ((709/238).CCLS.) or ((709/248).CCLS.) or ((709/105).CCLS.)) or ((709/242).CCLS.) or ((709/239).CCLS.) or ((709/240).CCLS.) or ((709/241).CCLS.)) and ((multi-processor with register$3) and @ad<20000628)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:40
-	0	run$4 adj4 (plurality or number or mulitple or different) adj3 (routing adj protocols) with (processsors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 11:07
-	845	(plurality or number or mulitple or different or vary$3 or various$3) adj3 (protocols) with (processors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 11:07
-	1	run$4 adj4 (plurality or number or mulitple or different) adj3 (routing adj protocols) with (processors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 11:12
-	6	(plurality or number or mulitple or different) adj3 (routing adj protocols) with (processors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:39
-	17553	register$3 adj4 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:39
-	105	(((((709/201).CCLS.) or ((709/238).CCLS.) or ((709/248).CCLS.) or ((709/105).CCLS.)) or ((709/242).CCLS.) or ((709/239).CCLS.) or ((709/240).CCLS.) or ((709/241).CCLS.)) and (register$3 adj4 processor) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:17
-	3	client adj server adj3 between adj3 processors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:58
-	0	first adj4 processor adj5 register$5 adj5 second adj4 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:59
-	566	first adj4 processor with register$5 with second adj4 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:59
-	447	(first adj4 processor with register$5 with second adj4 processor) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:40
-	4	((first adj4 processor with register$5 with second adj4 processor) and @ad<20000628) and (multiple adj different or number or plurality or various or variety) adj2 protocols	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:00
-	60	(first adj4 processor) adj6 register$5 adj5 ((other or another or second) adj4 processor) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:10

-	1	(routing adj protocol) adj3 distribut$3 adj4 (control adj card$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:12
-	10	(control adj card$1!) adj3 router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:12
-	0	register$3 adj3 processor$3 adj4 (other or another) adj4 processor$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:08
-	0	register$3 adj3 processor$3 with (other or another) adj4 processor$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:08
-	14368	register$3 adj3 processor$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:14
-	0	(register$3 or book$3 or sav$3 or stor$3) adj3 processor$3 adj4 (other or another) adj4 processor$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:09
-	5	(register$3 or book$3 or sav$3 or stor$3) adj3 processor$3 with (other or another) adj4 processor$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:10
-	32	(register$3 or book$3 or sav$3 or stor$3) adj3 processor$3 same (other or another) adj4 processor$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:14
-	67	register$3 adj3 processor$3 with multi adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:40
-	52	(register$3 adj3 processor$3 with multi adj processor) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:15
-	24	(registering or registration) adj3 processor$3 and multi adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:42
-	14	(registering or registration) adj3 processor$3 and multi adj processor and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:38
-	0	distribut$3 near5 synchroniz$5 adj4 (routing adj (table or database)) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:40
-	5	synchroniz$5 adj4 (routing adj (table or database)) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:40

| - | | 7 | (synchroniz$3 or updat$3 or replicat$3) adj4 ((rout$3) adj3 (tables or databases)) same (number or different or multiple or multi or plurality) adj2 (processors or CPU$1!) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/15 12:09 |

L Number	Hits	Search Text	DB	Time stamp
-	48	(synchroniz$5 or replicat$3) adj3 ((routing or forward$3) adj (database$1! or table$11))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 10:58
-	21	(synchroniz$5 or replicat$3) adj3 ((routing or forward$3) adj3 (database$1! or table$11)) and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 12:57
-	3	(CPU$1! or processor$1! or microprocessor$1! or (line adj card$1!)) with (multiple or various or different or multiple or variety or many) adj3 (routing adj protocols)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 13:07
-	128	(CPU$1! or processor$1! or microprocessor$1! or (line adj card$1!)) with (routing adj (table$1! or database$1!)) with protocols	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 13:08
-	57	(CPU$1! or processor$1! or microprocessor$1! or (line adj card$1!)) with (routing adj (table$1! or database$1!)) with protocols and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 13:16
-	0	(CPU$1! or processor$1! or microprocessor$1! or (line adj card$1!)) with (routing adj (table$1! or database$1!)) with protocols same synchroniz$5 and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 13:16
-	0	(CPU$1! or processor$1! or microprocessor$1! or (line adj card$1!)) with (routing adj (table$1! or database$1!)) with protocolsa and synchroniz$5 and @ad<20000628	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 13:16